

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.: 10/511,891
Applicant: Harmon, et al.
Filed: June 9, 2005
Title: Reduction in Biological Oxygen Demand Levels in Waste Water Effluents
Confirmation No: 6483
Art Unit: 1761
Examiner: Sayala, C.
Docket No.: 32-02

**SUPPLEMENTAL
RESPONSE TO NON-FINAL OFFICE ACTION**

MAIL STOP AMENDMENT
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Sir:

It is noted that the Response filed March 14, 2007 at page 1 incorrectly referred to the Office Action of March 27, 2006. This date should have been November 14, 2006.

Please correct the Response, which is otherwise ratified.

It is believed that no fee is due with this submission; however, if this is incorrect, please deduct from Deposit Account No. 07-1969 the appropriate fee for this submission and any extension of time required.

Respectfully Submitted,



Ellen P. Winner
Reg. No. 28,547

GREENLEE, WINNER AND SULLIVAN P.C.
4875 Pearl East Circle, Suite 200
Boulder, CO 80301
Telephone (303) 499-8080
Facsimile: (303) 499-8089
Email: winner@greenwin.com

Attorney Docket No.: 32-02
bmK: March 15, 2007

CERTIFICATE OF EFS-WEB FILING

I hereby certify that this correspondence is being filed with the USPTO EFS-WEB system:

15 March 2007
Date

B. Kroge
B. Kroge